BOARD OF WATER COMMISSIONERS 1600 WEST 12TH AVENUE DENVER, COLORADO 80254

APPLICATION FOR PRE-QUALIFICATION TO

INSTALL 16 & 20" MAIN REPLACEMENTS AND IMPROVEMENTS

WITHIN

THE CITY AND COUNTY OF DENVER AND

THE BOARD'S TOTAL SERVICE AREAS

(Denver Water is <u>not</u> responsible for prequalifying contractors for pipe installation outside of the City and County of Denver and the Board's Total Service Areas. Prequalification is intended only for work performed on the DW system.)

	Date:					
OFFICIAL	COMPANY NAME					
А	corporation	()	A co-partnership	()	An individual	()
Business	Address					
			Street Address			
			City, State, Zip			
Phone No.	·		Fax No			

Request is hereby made for prequalification of the above company to perform main extension contract work under the jurisdiction of the Board of Water Commissioners.

INSTRUCTION FOR FILING

STATEMENT OF EXPERIENCE AND EQUIPMENT

1. The attached form must be filled out completely. Failure to submit complete detail and a statement of experience and equipment will be cause for denial of qualification. This prequalification statement must be submitted to <u>Jane Peters</u> either by fax [(303)628-6851] or mail [Denver Water, 1600 West 12th Avenue, Denver, Colorado 80254].

Contractor will be required to have the prequalification form completely filled out and returned to the above address at least thirty (30) days prior to pipe laying construction.

- 2. The Contractor who applies for pre-qualification should have successfully laid at least 20,000 feet of 12-inch and smaller water lines. Consideration, however, will also be given to contractors who have successfully laid water lines larger than 20-inch within the Denver Metro area.
- 3. This prequalification statement will be used for installation of main extensions within the City and County of Denver and Total Service Areas only.
- 4. Questions and comments concerning the prequalification statement should be referred to Walt Bendever (303)628-6627 or Paul McQuade (303)628-6204.

BOND AND INSURANCE REQUIREMENTS

- 1. The Contractor agrees to post a maintenance bond in the amount of \$5,000.00 to indemnify the Board by reason of any defect in the materials or workmanship under the contractor's general warranty referred to above. The contractor further agrees that the obligation imposed under the maintenance bond shall not be impaired or made void, notwithstanding that the contractor may be required by the Board to perform any work for any reason or cause upon the facilities constructed hereunder, or if the Board performs said work upon the refusal or inability of contractor to perform the required work.
- 2. Before any work can be performed, the Applicant shall provide, or require the Contractor to provide insurance coverage as follows:
 - A. Worker's Compensation Insurance, in the amount required by Colorado law, for all employees who will be in any way connected with the work to be performed hereunder whether as employees of Applicant or as employees of subcontractors.
 - B. Liability Insurance:
 - (1) Comprehensive General Liability Insurance, including coverage for products, completed operations, blanket contractual liability, independent contractors coverage, and broad form property damage deleting any exclusion for explosion, collapse and underground hazards. Such insurance shall be in a minimum of \$150,000 per person, \$600,000 per occurrence, or a combined single limit of not less than \$600,000 per occurrence for bodily injury and property damage.
 - (2) Automobile Liability and Property Damage Insurance to include owned, non-owned and hired vehicles which are utilized under this agreement, with minimum insurance coverage of \$150,000 per person, \$600,000 per occurrence, or a combined single limit of not less than \$600,000 per occurrence for bodily injury and property damage.
 - (3) The Board will be named on each insurance policy as an additional named insured for coverages only, with no premium payment obligations, together with the contractor or applicant as appropriate. Each policy for the contractor or applicant will contain a clause stating that, as an additional named insured, the Board will be treated as if a separate insurance policy has been issued. The coverage provided to the Board, as additional named insured, will be primary coverage and the "other insurance" clause of any policy will be declared inapplicable.
 - C. Applicant shall provide certificates of insurance (and renewals thereof) in a form acceptable to the Board, demonstrating that required coverages have been obtained. The Applicant shall not allow any sub-contractor, agent, or employee to commence work until appropriate certificates of insurance have been obtained. The Applicant will assume full legal responsibility for determining that required insurance coverages have been obtained by their sub-contractors and agents. The Applicant has full responsibility for monitoring compliance with the insurance requirements of this contract.

PREQUALIFICATION QUESTIONNAIRE

1.	Regarding emergency repairs relevant to the one year warranty period as stated in paragraph 2 of Application and Agreement for main extensions, do you have the capability of doing emergency leak repairs at any hour of the day or night, and can you put such repairs in action within 3 hours of notification? Yes No If your company cannot respond to emergency repairs, your company will not be prequalified.	
2.	How many years have you operated a water pipe laying construction company that has been in continuous operation with the Denver Metropolitan area? 1 - 9 years = 5 points 10 years & over = 10 points	
3.	What percent of the work pertaining to this document do you normally perform with your own employees (NOTE: If subcontractors are used, they must also be "qualified.") 90% = 2 points	
4.	List major projects of a similar nature, or larger, your organization has completed during the last two (2) years. Contract Size Location of Work Year (Dollar Amount) (For Whom Performed)	
	2 - 10 points	
5.	Attach resumes for all individuals who would be in a supervisory position (foreman or above). 5 - 10 points	
6.	For which cities or water districts have you performed work in the metropolitan area? 0 - 5 points	
7.	How many crews do you have to perform pipe laying construction? 2 = 2 points More than 2 = 5 points	

a. Call for a pre-construction conference. b. Give 48 hours notification for beginning construction. c. Give 24 hours notification for beginning construction. 3 points 9. When may a contractor operate valves on the existing water system? 3 points
c. Give 24 hours notification for beginning construction. 3 points 9. When may a contractor operate valves on the existing water system? 3 points 10. Do you have hydrostatic testing equipment including a pump equipped with a by-pass and a 300 gallon potable water tank? Yes No 3 points 11. When pressure testing, what is the allowable leakage rate for 2000' of 20" pipe? 3 points 12. When is the use of sterilized barrels allowed for hydrostatic testing? 3 points 13. What is the acceptable method of chlorination for 16" and larger mains? 3 points 14. When are harness rods required?
construction. 3 points 9. When may a contractor operate valves on the existing water system? 3 points 10. Do you have hydrostatic testing equipment including a pump equipped with a by-pass and a 300 gallon potable water tank? Yes No 3 points 11. When pressure testing, what is the allowable leakage rate for 2000' of 20" pipe? 3 points 12. When is the use of sterilized barrels allowed for hydrostatic testing? 3 points 13. What is the acceptable method of chlorination for 16" and larger mains? 3 points 14. When are harness rods required?
9. When may a contractor operate valves on the existing water system? 3 points
3 points 10. Do you have hydrostatic testing equipment including a pump equipped with a by-pass and a 300 gallon potable water tank? Yes No 3 points 11. When pressure testing, what is the allowable leakage rate for 2000' of 20" pipe? 3 points 12. When is the use of sterilized barrels allowed for hydrostatic testing? 3 points 13. What is the acceptable method of chlorination for 16" and larger mains? 3 points 14. When are harness rods required?
10. Do you have hydrostatic testing equipment including a pump equipped with a by-pass and a 300 gallon potable water tank? Yes No 3 points 11. When pressure testing, what is the allowable leakage rate for 2000' of 20" pipe? 3 points 12. When is the use of sterilized barrels allowed for hydrostatic testing? 3 points 13. What is the acceptable method of chlorination for 16" and larger mains? 3 points 14. When are harness rods required?
equipped with a by-pass and a 300 gallon potable water tank? Yes No 3 points 11. When pressure testing, what is the allowable leakage rate for 2000' of 20" pipe? 3 points 12. When is the use of sterilized barrels allowed for hydrostatic testing? 3 points 13. What is the acceptable method of chlorination for 16" and larger mains? 3 points 14. When are harness rods required?
3 points 11. When pressure testing, what is the allowable leakage rate for 2000' of 20" pipe? 3 points 12. When is the use of sterilized barrels allowed for hydrostatic testing? 3 points 13. What is the acceptable method of chlorination for 16" and larger mains? 3 points 14. When are harness rods required?
11. When pressure testing, what is the allowable leakage rate for 2000' of 20" pipe? 3 points 12. When is the use of sterilized barrels allowed for hydrostatic testing? 3 points 13. What is the acceptable method of chlorination for 16" and larger mains? 3 points 14. When are harness rods required?
for 2000' of 20" pipe? 3 points 12. When is the use of sterilized barrels allowed for hydrostatic testing? 3 points 13. What is the acceptable method of chlorination for 16" and larger mains? 3 points 14. When are harness rods required?
12. When is the use of sterilized barrels allowed for hydrostatic testing? 3 points 13. What is the acceptable method of chlorination for 16" and larger mains? 3 points 14. When are harness rods required?
hydrostatic testing? 3 points 13. What is the acceptable method of chlorination for 16" and larger mains? 3 points 14. When are harness rods required?
13. What is the acceptable method of chlorination for 16" and larger mains? 3 points 14. When are harness rods required?
larger mains? 3 points 14. When are harness rods required?
14. When are harness rods required?
3 points
3 points
3 points
15. Define the properties of the allowable bedding material for pipe installation as per Denver Water Engineering Standards.
3 points
16. When is it allowable to lay pipe without line and grade
stakes?
3 points
17. What is the accepted method for changing horizontal alignment when said alignment is straight and parallel to property?

8. After receipt of approved plans, the contractor should:

18.	And	at is the standard cover for normal by whose authority may you (the om the standard cover?	contract	cor) devia			
		3 points					
19.	Do a. b. c.	you maintain an office with: A full-time secretary during not a cellular phone? An answering service? 1 - 4 points	ormal wo	rking hou	ırs?		
20.		you own the following equipment? leased equipment.)	(Do not	include	rented		
			How Yes	<u>No</u>	Many		
	1)	Trencher					
	2)	Front end loader					
	3)	Backhoe					
	4)	Dump Truck (3 yd minimum)					
	5)	Mobile Tamper					
	6)	Pickup Truck					
	7)	List any appropriate additiona	l equipm	ent:			
		0 - 20 points					
TOTAL	PO	INTS					
NO	TE:	To achieve qualification, you mu	ıst attai	in a score	e of at	least.	70.
2.0				211 0. 2001	0 01 00	20020	, , ,
		BOVE AND FOREGOING QUESTIONNAIRE H KNOWLEDGE. SIGNATURE BELOW MUST					
		F	Ву:				
		Tit	le:				